


Ortaki skersmens, ilgio paklaida ir ortaki skardos storis pagal EN 1506 standart .

d., mm	d paklaida, mm min. - maks.	Skardos storis (S) nom., mm	Ilgio paklaida, mm
100	100.0 - 100.5	0,50	±10
125	125.0 - 125.5	0,50	±10
160	160.0 - 160.6	0,50	±10
200	200.0 - 200.7	0,50	±10
250	250.0 - 250.8	0,50	±10
315	315.0 - 315.9	0,50	±15
400	400.0 - 401.0	0,60	±15
500	500.0 - 501.1	0,60	±20
630	630.0 - 631.2	0,70	±25
800	800.0 - 801.6	0,70	±25
1000	1000.0 - 1002.0	1,00	±25
1250	1250.0 - 1252.5	1,00	±25




Alk ni kampo paklaida $\pm 2^\circ$
 $R=d$

Sujungim skersmens paklaida:

d., nom., mm	d paklaida, mm. min. - maks.	Skardos storis (S) nom., mm	e, mm	Ilgio paklaida, mm
100	98.8 - 99.3	0,50	36	+0 -5
125	123.8 - 124.3	0,50	36	+0 -5
160	158.7 - 159.3	0,50	36	+0 -5
200	198.6 - 199.3	0,50	36	+0 -5
250	248.5 - 249.3	0,50	55	+0 -5
315	313.4 - 314.3	0,50	55	+0 -5
400	398.3 - 399.3	0,70	75	+0 -10
500	498.2 - 499.3	0,70	75	+0 -10
630	628.1 - 629.3	0,70	75	+0 -10
800	798.0 - 799.3	0,70	100	+0 -10
1000	997.9 - 999.3	1,00	115	+0 -15
1250	1247.8 - 1249.3	1,00	115	+0 -15



ORTAKIAI IR FASONINĖS DALYS




Ortakiai SR

Ø d., mm	Svoris, kg/m	Kaina, Lt (be PVM)
100	1,50	8,60
125	1,80	10,90
160	2,30	13,70
200	2,90	17,00
250	3,60	21,90
315	5,50	28,50
400	7,00	46,00
500	8,70	57,00
630	12,60	81,00
800	16,30	103,00
1000	26,20	165,00
1250	30,20	220,0

Kainos nurodytos už 1 m;
Standartinis ilgis - 3 m.

Markiruot užsakymui:
SR - d - L;


SR - ortakis;
d - diametras (mm);
L - ilgis.



Alk n s BFU (45° su sandarinimo gumel mis)

Ø d., mm	Ilgis L, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100*	47	0,30	12,50
125*	52	0,30	14,00
160	66	0,50	17,00
200	83	0,70	20,00
250	104	1,00	24,00
315	130	1,50	30,00
400	166	3,20	51,00
500	207	4,60	76,00
630	261	7,00	119,00
800	331	10,90	189,00
1000	414	16,30	343,00
1250	518	24,70	528,00

* presuotos.
Markiruot užsakymui:
BFU - 45° - d.




Alk n s BFU (90° su sandarinimo gumel mis)

Ø d., mm	Ilgis L, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100*	100	0,40	14,50
125*	125	0,50	17,50
160	160	0,70	21,00
200	200	1,00	24,00
250	250	1,60	31,00
315	315	2,30	41,00
400	400	5,50	73,00
500	500	8,30	109,00
630	630	12,80	172,00
800	800	20,20	286,00
1000	1000	30,80	528,00
1250	1250	47,10	882,00

* presuotos.
Markiruot užsakymui:
BFU - 90° - d.



ORTAKIAI IR FASONINĖS DALYS



Movos NPU (su sandarinimo gumelėmis)

Ø d., mm	Ilgis L, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100	10	0,10	5,42
125	10	0,20	5,69
160	10	0,20	5,90
200	10	0,30	6,80
250	10	0,30	8,20
315	10	0,40	9,74
400	10	0,80	16,53
500	10	1,00	20,00
630	10	1,30	25,00
800	10	2,70	43,00
1000	10	3,40	76,00
1250	10	4,20	94,00


Markiruot užsakymui:
NPU - d;
d - diametras (mm).



Aklis ESU (vidinis, su sandarinimo gumelėmis)

Ø d., mm	Ilgis, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100	40	0,20	8,50
125	40	0,20	8,50
160	40	0,30	10,00
200	40	0,40	11,50
250	60	0,60	15,00
315	60	0,80	20,00
400	80	1,60	30,00
500	80	2,10	40,00
630	80	3,10	58,00
800	100	6,90	105,00
1000	100	9,80	155,00
1250	120	14,00	224,00


Markiruot užsakymui:
ESU - d;
d - diametras (mm).



Trišakiai TCPU (su sandarinimo gumelėmis)

Kaina, Lt (be PVM)	d2, mm											
	d1, mm	100	125	160	200	250	315	400	500	630	800	1000
100	18											
125	21	21										
160	22	24	25									
200	25	26	30	31								
250	29	31	34	37	39							
315	33	36	40	43	47	50						
400	48	59	57	61	66	74	90					
500		61	66	70	78	86	105	105				
630			63	89	96	107	125	111	147			
800					209			263	355	401		
1000												794

Markiruot užsakymui:
TCPU - d1 - d2;
d1 - pagrindo diametras (mm);
d2 - atšakos diametras (mm);
H = 0,5d1+35 mm;
L = d2+65 mm.





Kelnis YVU (su sandarinimo gumelėmis)

Ø d1, mm	Ø d2, d3 mm	Kaina, Lt (be PVM)
100	100	22,00
125	125	22,00
160	160	26,00
200	160	30,00
200	200	31,00
250	200	38,00
315	250	48,00
400	315	80,00
400	400	76,00
500	400	114,00
630	500	150,00
800	630	300,00
1000	800	450,00
1250	1000	640,00

Markiruot užsakymui:
YVU - 45 - d1 - d2 - d3;
d1 - pagrindo diametras (mm);
d2, d3 - atšakos diametras (mm).



ORTAKIAI IR FASONINĖS DALYS



Presuotos balninės atšakos BAU su sandarinimo gumele

d1-d2, mm	H, mm	Ortakiams	Kaina, Lt (be PVM)
100-100	85	100-112	9,00
125-100	98	125-140	9,00
125-125	98	125-140	10,00
160-100	115	150-160	9,00
160-125	115	150-160	10,00
160-160	115	160	10,50
200-100	135	180-200	9,00
200-125	135	180-200	10,00
200-160	135	180-200	13,50
200-200	135	200	23,00
250-100	160	224-250	11,50
250-125	160	224-250	10,50
250-160	160	224-250	13,50
250-200	160	224-250	18,00
250-250	160	250	32,00

Markiruot atšakos užsakymui:

BAU - d1 - d2;

d1 - pagrindo diametras (mm);

d2 - atšakos diametras (mm).

Balninės atšakos BAU su sandarinimo gumele


d1-d2, mm	H, mm	Ortakiams	Kaina, Lt (be PVM)
315-100	192	280-315	9,00
315-125	192	280-315	10,00
315-160	192	280-315	10,50
315-200	192	280-315	11,00
315-250	192	280-315	14,00
315-315	192	315	21,00
400-160	235	355-400	10,50
400-200	235	355-400	12,00
400-250	235	355-400	15,00
400-315	235	355-400	19,00
400-400	235	400	43,00
500-160	285	400-500	10,50
500-200	285	400-500	11,00
500-250	285	400-500	14,00
500-315	285	400-500	18,00
500-400	285	400-500	33,00
500-500	285	400-500	59,00
630-160	350	560-630	10,00
630-200	350	560-630	11,00
630-250	350	560-630	14,00
630-315	350	560-630	18,00
630-400	350	560-630	32,00
630-500	350	560-630	46,00
630-630	350	560-630	82,00
800-500	435	710-800	44,00
800-630	435	710-800	67,00
800-800	435	710-800	164,00
1000-500	535	900-1000	42,00
1000-630	535	900-1000	51,00
1000-800	535	900-1000	127,00
1000-1000	535	900-1000	230,00
1250-630	660	1120-1250	53,00
1250-800	660	1120-1250	128,00
1250-1000	660	1120-1250	224,00
1250-1250	660	1120-1250	323,00



ORTAKIAI IR FASONINĖS DALYS

Per jimai RCLU

simetriški, su sandarinimo gumele



d1-d2, mm	Ilgis L, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
125-100	64	0,30	12,00
160-100	112	0,50	14,00
160-125	78	0,40	14,00
200-100	167	0,60	18,00
200-125	133	0,60	17,00
200-160	85	0,50	17,00
250-100	236	1,00	22,00
250-125	202	0,90	26,00
250-160	154	0,90	22,00
250-200	99	0,80	21,00
315-125	291	1,40	30,00
315-160	243	1,30	29,00
315-200	188	1,20	26,00
315-250	119	1,10	38,00
400-160	365	2,30	58,00
400-200	310	2,20	63,00
400-250	241	2,10	54,00
400-315	152	1,80	46,00
500-200	447	3,40	77,00
500-250	378	3,20	70,00
500-315	289	3,00	68,00
500-400	177	2,60	62,00
630-250	557	5,60	105,00
630-315	468	5,30	109,00
630-400	356	4,90	84,00
630-500	219	4,00	82,00
800-400	594	9,00	203,00
800-500	457	8,00	178,00
800-630	279	6,50	130,00
1000-500	732	15,90	308,00
1000-630	553	13,80	299,00
1000-800	328	11,10	233,00
1250-630	897	25,50	376,00
1250-800	668	22,80	335,00
1250-1000	393	17,70	285,00

Markiruot užsakymui:


RCLU - d1 - d2;

d1 - plačiosios dalies diametras (mm);

d2 - siaurosios dalies diametras (mm).

Per jimai RLU

išcentriniai, su sandarinimo gumele



d1-d2, mm	Ilgis L, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
125-100	64	0,30	18,00
160-100	112	0,50	19,00
160-125	78	0,40	18,00
200-100	167	0,60	23,00
200-125	133	0,60	22,00
200-160	85	0,50	22,00
250-100	236	1,00	29,00
250-125	202	0,90	28,00
250-160	154	0,90	26,00
250-200	99	0,80	25,00
315-125	291	1,40	36,00
315-160	243	1,30	36,00
315-200	188	1,20	33,00
315-250	119	1,10	33,00
400-160	365	2,30	49,00
400-200	310	2,20	68,00
400-250	241	2,10	68,00
400-315	152	1,80	56,00
500-200	447	3,40	101,00
500-250	378	3,20	90,00
500-315	289	3,00	79,00
500-400	177	2,60	79,00
630-250	557	5,60	122,00
630-315	468	5,30	124,00
630-400	356	4,90	117,00
630-500	219	4,00	99,00
800-400	594	9,00	248,00
800-500	457	8,00	207,50
800-630	279	6,50	169,00
1000-500	732	15,90	338,00
1000-630	553	13,80	349,00
1000-800	328	11,10	288,00
1250-630	897	25,50	414,00
1250-800	668	22,80	460,00
1250-1000	393	17,70	414,00

Markiruot užsakymui:


RLU - d1 - d2;

d1 - plačiosios dalies diametras (mm);

d2 - siaurosios dalies diametras (mm).




ORTAKIAI IR FASONINĖS DALYS



Flanšai FLAU (su sandarinimo gumele)

$\varnothing d$, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100	0,20	8,10
125	0,20	9,54
160	0,30	10,00
200	0,30	10,50
250	0,50	12,00
315	0,60	13,50
400	1,00	24,00
500	1,20	29,00
630	1,60	35,00
800	2,00	59,00
1000	2,40	73,00
1250	5,00	86,00


Markiruot užsakymui:
FLAU - d;
d - diametras (mm).



Kamin liai VH

$\varnothing d$, mm	D, mm	h, mm	H, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100	180	80	165	0,70	44,00
125	224	80	170	0,90	46,00
160	290	80	180	1,10	48,00
200	360	80	190	1,90	53,00
250	450	80	200	2,60	76,00
315	570	80	215	4,10	88,00
400	720	120	275	6,20	122,00
500	900	120	360	11,20	181,00
630	1135	120	360	1980	365,00
800	1440	135	435	18,00	446,00


Markiruot užsakymui:
VH - d;
d - diametras (mm).



Stogeliai SG

$\varnothing d$, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100	0,50	26,00
125	0,50	27,00
160	0,60	29,00
200	0,70	31,00
250	0,80	36,00
315	1,00	54,00
400	1,20	67,00
500	1,60	95,00
630	2,00	155,00
800	2,70	225,00

Markiruot užsakymui:
SG - d;
d - diametras (mm).




Antgaliai AB (su tinkleliu)

$\varnothing d$, mm	L, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100	200	0,90	21,00
125	225	1,30	21,00
160	260	2,40	23,00
200	300	3,70	28,00
250	350	5,40	34,00
315	415	8,20	45,00
400	500	12,50	59,00
500	600	22,00	86,00
630	730	29,50	137,00
800	900	57,70	239,00

Markiruot užsakymui:
AB - d;
d - diametras (mm).




ORTAKIAI IR FASONINĖS DALYS



Deflektoriai HN (maunami ortak)

Ø d., mm	D, mm	H, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
100	180	220	0,70	85,00
125	225	240	0,90	85,00
160	280	340	1,70	92,00
200	345	420	2,30	104,00
250	430	505	3,70	126,00
315	550	620	5,50	171,00


Markiruot užsakymui:
HN - d;
d - diametras (mm).



Deflektoriai HF (tvirtinami flanšu)

Ø d., mm	D, mm	H, mm	Svoris, kg/vnt	Kaina, Lt (be PVM)
400	685	905	13,20	414,00
500	855	1055	19,00	522,00
630	1075	1300	34,00	1098,00
800	1360	1630	51,00	1908,00
1000	1600	2125	82,00	2790,00
1250	2020	2660	102,00	3600,00

Markiruot užsakymui:
HF - d;
d - diametras (mm).



Deflektoriai T (nat raliai ventilacijai)

Ø d., mm	D, mm	H, mm	Kaina, Lt (be PVM)
100	200	160	151,00
125	250	200	157,00
160	320	270	166,00
200	400	340	185,00
250	500	425	216,00
315	630	540	243,00
400	800	680	432,00
500	1000	850	567,00
630	1250	1070	801,00
800	1600	1360	918,00

Markiruot užsakymui:
T - d;
d - diametras (mm).

